

INDEX (Cont.)

- Error report,
 - device, 1-78
 - generating the, 1-75
- Error reporting, 2-18
- Error status, 2-10
- Error summary report, 1-80
- Error utility program, 1-70
- Error,
 - window alignment, 3-21
- ERROR.DAT, 1-74
- Errors,
 - intercepting system, 2-67
- ERRTMP.SYS, 1-72
- ERRUTL options, 1-72
- ERRUTL, 1-67, 1-70
 - using, 1-71
- Examining memory locations, 4-50
- Example program,
 - extended memory, 3-31
- Example,
 - error logging, 1-76
 - multi-terminal programming, 4-98
- Exception reporting, 1-41
- Existing files,
 - opening, 2-72
- .EXIT programmed request, 2-56
- Expansion direction, 3-3
- Extended display instruction,
 - A-15
- Extended display processor
 - instruction set, A-15
- Extended Instruction Set (EIS),
 - 3-34
- Extended memory device handler
 - conversion, 1-24
- Extended memory error checking,
 - 3-27
- Extended memory error codes,
 - 3-29
- Extended memory example program,
 - 3-31
- Extended memory functional
 - description, 3-4
- Extended memory I/O, 3-14
- Extended memory macros, 3-19,
 - 3-23
- Extended memory monitor (XM),
 - 1-1, 3-1, 3-2, 3-5
- Extended memory monitor layout,
 - 3-12
- Extended memory monitor loading,
 - 3-12
- Extended memory programmed
 - requests, 3-15, 3-22
- Extended memory requirements,
 - 3-34
- Extended memory restrictions,
 - 3-33
- Extended memory status words,
 - 3-30
- Extended memory status, 3-27
- Extended memory support for
 - handlers, 1-17
- Extended memory support summary,
 - 3-33
- Extended memory terminology, 3-2
- Extended memory, 3-1, 3-2
 - allocating regions in, 3-8
 - context switching in, 3-14
 - deallocating regions in, 3-8
 - device handlers and, 3-33
 - interrupt service routines in,
 - 3-14, 3-28, 3-33
- Extending file size, C-66
- Extensions,
 - directory segment, C-72
- Extra directory words, C-69

- F.BADR, C-12
- F.BLNK, C-12
- F.BR4, C-12
- F.BR5, C-12
- Fault,
 - memory management, 3-3, 3-7,
 - 3-12, 3-14, 3-27
- FB,
 - see Foreground/background
 - monitor
- .FETCH programmed request, 2-58
- File format,
 - absolute binary, C-57
 - LDA, C-57
 - OBJ, C-52
 - REL, C-61
 - relocatable, C-61
 - SAV, C-59
 - save image, C-59
- File formats, C-52
- File length, C-68
- File manipulation programmed
 - requests, 2-19
- File size,
 - extending, C-66
- File status,
 - saving, 2-106
- File storage, C-65
- File type,
 - name and, C-68
- File,
 - data, 3-1
 - permanent, 2-17
 - structure, 2-16
 - tentative, 2-17
- File-structure magnetic tape
 - handler, 1-31

INDEX (Cont.)

- File-structured device, C-65
- Files,
 - creating, 2-54
 - deleting, 2-49
 - indirect command, 1-6, 2-64
 - information in block 0 of, C-59
 - number of, C-71
 - opening existing, 2-72
 - opening new, 2-54
 - renaming, 2-104
 - reopening, 2-105
 - size of, C-71
- Fill characters, 2-11
- FILST\$, C-3, C-6
- Flag, A-2, A-4, A-10
 - buffer, A-8, A-12, A-16
 - edge, A-14
 - internal link, A-14
- Floating point hardware, 2-115
- Foreground job,
 - virtual, 3-13
- Foreground,
 - running a FORTRAN program in, 4-6
- Foreground/background FORTRAN I/O, 4-77
- Foreground/background mapping, 3-12
- Foreground/background monitor (FB), 1-1, 3-1
- .FORK macro, 1-13, 2-60
- Fork process, 1-13
- Fork queue element, 1-13, C-12
- .FORK support,
 - SJ monitor, 1-15
- Format strings, 4-20
- Format,
 - absolute binary file, C-57
 - cassette file header, C-78
 - directory entry, C-67
 - directory header, C-66
 - formatted binary, C-54
 - LDA file, C-57
 - library directory, C-56
 - library end block, C-57
 - library header, C-55
 - paper tape, C-57
 - programmed request, 2-2.1
 - REL file, C-61
 - relocatable file, C-61
 - SAV file, C-59
 - save image file, C-59
- Formats,
 - file, C-52
- Formatted binary blocks, C-54
- Formatted binary format, C-54
- FORTRAN I/O,
 - foreground/background, 4-77
- FORTRAN interrupt service routines, 4-48
- FORTRAN OTS, 4-5, 4-32
- FORTRAN programs,
 - linking, 4-5
- FORTRAN special functions, 4-69
- FORTRAN subroutines, 4-1
- Forward pointer, A-23
- FRUN monitor command, 1-6, 4-6, C-61
- Full conversion of device handlers, 1-23
- Func, 2-28
- Functions,
 - character string, 4-20
 - complex, 4-5
 - double precision, 4-5
 - FORTRAN special, 4-69
 - INTEGER*4, 4-19
 - INTEGER, 4-4
 - LOGICAL, 4-4
 - REAL, 4-4
 - subprograms, 4-3
 - SYSF4, 4-1, 4-23
- General mode, 2-38
- Generating the error report, 1-75
- Get mapping status, 3-15
- GET monitor command, 1-6
- \$GETBYT monitor routine, 1-19
- GETLIN, 4-17
- GETSTR, 4-4, 4-17, 4-21, 4-28
- Getting information from the user, 4-30
- Getting terminal status, 4-95
- Getting the time of day, 4-29
- Global calls, A-19
- .GMCX programmed request, 3-15, 3-25
- Graphics display terminals, A-1
- Graphics files, A-2
- Graphics library, A-2
- Graphics macro calls,
 - summary, A-24
- Graphics macro, A-4
 - .BLANK, A-4
 - .CLEAR, A-4
 - .INSRT, A-5
 - .LNKRT, A-6
 - .LPEN, A-7
 - .NAME, A-10
 - .NOSYN, A-13
 - .REMOV, A-10
 - .RESTR, A-10
 - .SCROL, A-11

INDEX (Cont.)

- Graphics macro (Cont.),
 - .START, A-12
 - .STAT, A-12
 - .STOP, A-12
 - .SYNC, A-13
 - .TRACK, A-13
 - .UNLNK, A-14
- Graphics program, A-18
- Graphics programming, A-2
- Graphics subroutine, A-2
- Graphplot increment, A-9
- GRAPHX,
 - see Display processor mnemonic
- GRAPHY,
 - see Display processor mnemonic
- GT OFF monitor command, 1-6
- GT ON monitor command, 1-6
- .GTIM programmed request, 2-61
- GTIM, 4-29
- .GTJB programmed request, 2-63
- GTJB, 4-30
- .GTLIN programmed request, 2-64
- GTLIN, 4-30
- .GVAL programmed request, 2-13, 2-66

- Handler termination, 1-11
- Handler,
 - cassette tape, 1-49
 - file-structure magnetic tape, 1-31
 - hardware magnetic tape, 1-40
 - overlay, 3-1
- Handlers,
 - device, 1-1, 1-2, 1-7
 - extended memory support for, 1-17
 - loading device, 2-58
 - MM and MT, 1-30
 - MMHD and MTHD, 1-30
 - parts of, 1-8.1
 - unloading device, 2-60
- Hardware character generator, A-1
- Hardware limitations, 3-30
- Hardware magnetic tape handler, 1-40
- Hardware mode,
 - cassette, 1-49
- Hardware,
 - floating point, 2-115
 - memory management, 3-2, 3-3, 3-5, 3-9, 3-34
- HDRI, C-75
- Header format,
 - cassette file, C-78
- Header, 1-9
 - job,
 - see Impure area
 - .HERR programmed request, 2-67
 - High limit, 2-113, 3-13
 - High memory address, 2-9
 - HNDLR\$, C-3, C-6
 - .HRESET programmed request, 2-70

- I/O buffers, 3-15
- I/O channel format, C-12
- I/O completion, 1-11
- I/O data structures, C-1
- I/O information, C-1
- I/O initiation section, 1-10
- I/O page, 3-12, 3-13
- I/O processing, C-13
- I/O programming conventions, 1-1
- I/O queue element, C-7
- I/O to extended memory, 3-14
- I/O transfers,
 - stopping, 2-70
- I/O,
 - asynchronous, C-8
 - double buffered, 2-140
 - queued, C-7
- IADDR, 4-31
- IAJFLT, 4-31
- IAS,
 - writing tapes on, 1-48
- IASIGN, 4-4, 4-32
- ICDFN, 4-4, 4-6, 4-17, 4-34
- ICHCPY, 4-35
- ICMKT, 4-35
- ICSI, 4-17, 4-32, 4-36
- ICSTAT, 4-38
- IDELET, 4-17, 4-39, 4-40
- Identifier code,
 - region, 3-18
 - window, 3-17
- Identifier,
 - region, 3-9, 3-19, 3-26
 - window, 3-17, 3-22
- IDJFLT, 4-40
- IDSTAT, 4-17, 4-41
- IENTER, 4-17, 4-24, 4-33, 4-35, 4-36, 4-42, 4-62, 4-100
- IFETCH, 4-4, 4-17, 4-36, 4-43
- IFREEC, 4-4, 4-44
- IGETC, 4-4, 4-44, 4-45
- IGETSP, 4-4, 4-45
- IJCVT, 4-46
- ILUN, 4-4, 4-46
- Impure area, 3-13
- INCR,
 - see Display processor mnemonic
- Index, 4-47

INDEX (Cont.)

Indexed object module library,
A-19

Indirect command files, 1-6,
2-64

Information,
context, 3-14
relocation, C-62
software support, C-1

Initialized cassette, C-76

Initializing the display file
handler, A-4

Initiation section,
I/O, 1-10

Input,
obtaining from the user, 2-64

INSERT, 4-47

Inserting a call to user display
file, A-5

.INSRT, A-5

INSTALL monitor command, 1-2,
1-20, C-2

Installing a device, C-2

Installing device handlers,
1-20

Instruction set,
extended display processor,
A-15

Instruction,
RTI, 3-28

INT0,
see Display processor mnemonic

INT1,
see Display processor mnemonic

INT2,
see Display processor mnemonic

INT3,
see Display processor mnemonic

INT4,
see Display processor mnemonic

INT5,
see Display processor mnemonic

INT6,
see Display processor mnemonic

INT7,
see Display processor mnemonic

INTEGER functions, 4-4

INTEGER*2, 4-46, 4-84, 4-86

INTEGER*4, 4-19, 4-23, 4-28,
4-31, 4-40, 4-46, 4-83,
4-84, 4-85, 4-86, 4-87,
4-88

.INTEN macro, 1-6, 1-13, 2-70

Intensity, A-9, A-11, A-13

Intercepting CTRL/C, 2-108, 4-104

Intercepting system errors, 2-67

Intercepting traps to 4 and 10,
2-126

Interfaces,
line, 1-64

Internal display file, A-2, A-3,
A-12

Internal file, A-5

Internal link flag, A-14

Internal subpicture stack, A-15

Interrupt handler, A-2, A-14
display stop, A-15
light pen, A-7

Interrupt level, A-14
issuing programmed requests
at, 1-7

Interrupt priorities, 1-6

Interrupt service routines and
extended memory, 3-33

Interrupt service routines and
the XM monitor,
user, 1-7

Interrupt service routines in
extended memory, 3-14, 3-28

Interrupt service routines, 1-1,
2-70, 2-123, 4-48
writing user, 1-6

Interrupt service,
return from, 1-7

Interrupt vector, 3-28
setting up, 1-6

Interrupt,
display stop, A-16, A-17
light pen, A-17

INTSET, 4-4, 4-6, 4-7, 4-18,
4-48

INTX,
see Display processor mnemonic

IPEEK, 4-2, 4-50, 4-77

IPEEKB, 4-2, 4-50

IPOKE, 4-2, 4-51, 4-77

IPOKEB, 4-2, 4-51

IQSET, 4-4, 4-6, 4-17, 4-52,
4-56, 4-75, 4-99

IRAD50, 4-53
see also RAD50

IRCVD, 4-17, 4-53, 4-99

IRCVDC, 4-17, 4-18, 4-54

IRCVDF, 4-4, 4-17, 4-18, 4-54

IRCVDW, 4-17, 4-55

IREAD, 4-17, 4-56, 4-80

IREADC, 4-17, 4-18, 4-57

IREADF, 4-4, 4-17, 4-18, 4-58

IREADW, 4-17, 4-60

IRENAM, 4-17, 4-60

IREOPN, 4-61, 4-62

ISAVES, 4-61, 4-62, 4-92, 4-100

ISCHED, 4-4, 4-17, 4-18, 4-35,
4-63, 4-75

ISDAT, 4-17, 4-53, 4-65, 4-99

ISDATC, 4-17, 4-18, 4-65

ISDATF, 4-4, 4-17, 4-18, 4-66

ISDATW, 4-17, 4-67

ISLEEP, 4-17, 4-67

INDEX (Cont.)

ISPFN, 4-17, 4-68, 4-80
 ISPFNC, 4-17, 4-18, 4-70
 ISPFNF, 4-4, 4-17, 4-18, 4-71
 ISPFNW, 4-17, 4-72
 ISPY, 4-2, 4-73
 Issuing hardware handler calls
 in a magtape file, 1-40
 Issuing programmed requests at
 interrupt level, 1-7
 ITAL0,
 see Display processor mnemonic
 ITAL1,
 see Display processor mnemonic
 ITALICS, A-9
 ITIMER, 4-4, 4-17, 4-18, 4-35,
 4-74
 ITLOCK, 4-17, 4-75, 4-91
 ITTINR, 4-76
 ITTOUR, 4-78
 ITWAIT, 4-17, 4-78
 IUNTIL, 4-17, 4-79
 IWAIT, 4-56, 4-68, 4-80
 IWRITC, 4-17, 4-18, 4-80
 IWRITE, 4-17, 4-80, 4-81
 IWRITEF, 4-4, 4-17, 4-18, 4-82
 IWRITW, 4-17, 4-83

JADD, 4-83
 JAFIX, 4-84
 JCOMP, 4-84
 JDFIX, 4-85
 JDIV, 4-85
 JICVT, 4-86
 JJCVT, 4-87
 JMOV, 4-87
 JMUL, 4-88
 Job header,
 see Impure area
 Job number, C-69
 Job parameters,
 obtaining, 2-63
 Job status word (JSW), 2-7, 3-12
 Job,
 privileged, 3-2, 3-6, 3-12,
 3-27, 3-35
 virtual background, 3-13
 virtual foreground, 3-13
 virtual, 3-2, 3-27, 3-33, 3-35
 JSR, 4-3
 JSUB, 4-88
 JSW,
 see Job status word
 JTIME, 4-89

Kernel mapping, 3-14, 3-27
 Kernel mode, 3-2, 3-3, 3-12,
 3-13, 3-28, 3-35

Kernel vector space, 3-12
 Key,
 access, 3-3
 Keyboard monitor (KMON), 1-2,
 3-3, 3-12
 passing commands to, 4-107
 Keyword macro arguments, 2-29
 KMON,
 see Keyboard monitor
 KT-11,
 see Memory management hardware

Labelling elements of display
 file, A-17
 Layout,
 memory, 1-2
 LDA file format, C-57
 Legal stack depth, A-15
 Len, 4-90
 Length,
 file, C-68
 page, 3-3
 LIBRARY command, A-2
 Library directories, C-56
 Library directory format, C-56
 Library directory,
 macro, C-57
 object, C-57
 Library end block format, C-57
 Library file format, C-54
 Library header format, C-55
 macro, C-56
 object, C-55
 Library trailer, C-57
 Library, 4-7
 system macro, B-1
 system subroutine, 4-1
 Light pen flag, A-9
 Light pen interrupt handler,
 A-7
 Light pen interrupt, A-10,
 A-14, A-17
 Light pen status buffer, A-12
 Light pen support, A-2
 Light pen, A-1
 Light-pen sensitive, A-13
 Limit,
 high, 3-13
 Limitations,
 hardware, 3-33
 Line count, A-11
 Line interfaces, 1-64
 Line type, A-9
 LINE0,
 see Display processor mnemonic
 LINE1,
 see Display processor mnemonic

INDEX (Cont.)

- LINE3,
 - see Display processor mnemonic
- Link map, A-28
- Linked list, A-23
- Linker option, 3-8
- Linking FORTRAN programs, 4-5
- Linking graphics programs, A-18
- Linking the EL handler, 1-84
- Linking with SYSF4, 4-7
- Links,
 - directory segment, C-73
- Listing,
 - cross-reference, 3-1
- Literals,
 - quoted-string, 4-22
- .LNKRT, A-6
 - example of, A-7
- LOAD monitor command, 1-6, 3-33
- Load name register instruction (DNAME), A-17
- Load status register A, A-15
- Loading device handlers, 2-58, 4-43
- Loading device registers, 2-50, 4-27
- Loading the EL handler, 1-71
- .LOCK programmed request, 2-71
- LOCK, 4-17, 4-90
- Locking the USR, 2-71, 2-125
- Logical address space, 3-6
 - program, 3-4
- Logical addressing, 3-1
- LOGICAL functions, 4-4
- Logical units, 1-64
- LOGICAL*1 arrays, 4-20
- LONGV,
 - see Display processor mnemonic
- .LOOKUP programmed request, 1-35, 1-47, 1-50, 2-74
- LOOKUP, 4-17, 4-33, 4-36, 4-39, 4-40, 4-61, 4-62, 4-92
- Low memory protection bitmap, C-6
- Low memory, 3-3
- LPDARK,
 - see Display processor mnemonic
- .LPEN, A-7
 - example of, A-8
- LPLITE,
 - see Display processor mnemonic
- LPOFF,
 - see Display processor mnemonic
- LPON,
 - see Display processor mnemonic
- LSI computers, C-59
- LSRA,
 - see Load status register A
- M.FCNT, 2-87
- M.TFIL, 2-87
- M.TST2, 2-87
- M.TSTS, 2-87
- M.TSTW, 2-87
- M.TWID, 2-87
- MAC library format, C-54
- Macro arguments, keyword, 2-29
- MACRO assembler, 3-1
- MACRO assembly language, A-18
- Macro call library (VTMAC), A-28
- Macro call, A-2
- Macro calls,
 - graphics,
 - summary, A-24
- Macro definition file, A-18
- Macro definition, A-2
- Macro library directory, C-57
- Macro library file format, C-54
- Macro library header format, C-56
- Macro library,
 - using the system, 2-18
- MACRO,
 - see also MACRO-11, assembler
- Macro,
 - system library, B-1
- MACRO,
 - using SYSF4 with, 4-3
- MACRO-11,
 - see also Assembler, MACRO
- Macros,
 - .DRBEG, C-39
 - .DREND, C-39
 - .QELDF, C-8
 - DEV, C-5
 - device handler, C-39
 - extended memory, 3-19, 3-23
 - system, 2-26
- Magnetic tape directory
 - operations, 1-39
- Magnetic tape handler,
 - file-structure, 1-31
 - hardware, 1-40
- Magnetic tape handlers, 1-30
- Magnetic tape,
 - reading data from, 1-36
 - reading from, 1-47
 - writing data to, 1-37
 - writing to, 1-47
- Magtape labels,
 - ANSI, C-75
- Magtape structure, C-74
- Magtape,
 - bootable, C-75
- Main file structure, A-22
- Making calls to the EL handler, 1-82

INDEX (Cont.)

Manipulating windows, 3-17
 Map an address window, 3-15
 .MAP programmed request, 3-15,
 3-18, 3-21, 3-26
 Map,
 memory, 3-13
 Mapped addresses,
 converting to physical, 1-18
 Mapped system, 3-2
 Mapping a window, 3-26
 Mapping mode, 1-16
 Mapping programmed requests,
 3-15, 3-25
 Mapping registers, 3-14
 Mapping relationship, 3-11
 Mapping status,
 obtaining, 3-25
 Mapping windows to regions, 3-9,
 3-35
 Mapping, 3-3, 3-6, 3-12, 3-21
 default, 3-13, 3-14, 3-27
 foreground/background, 3-12
 kernel, 3-14, 3-27
 privileged, 3-13, 3-14, 3-16
 virtual, 3-12
 Mark time requests,
 cancelling, 2-36
 Mark time, 1-19, 2-78
 cancelling a, 1-20
 scheduling a, 1-20
 MAXSX,
 see Display processor mnemonic
 MAXSY,
 see Display processor mnemonic
 MAXX,
 see Display processor mnemonic
 MAXY,
 see Display processor mnemonic
 Memory areas, 2-6
 Memory layout, 1-2
 Memory management fault, 3-3,
 3-7, 3-12, 3-14, 3-27
 Memory management hardware,
 3-2, 3-3, 3-5, 3-9, 3-34
 Memory management unit,
 see Memory management hardware
 Memory map, 3-13
 Memory segments, 3-2
 Memory,
 extended, 3-1, 3-3
 low, 3-3
 physical, 3-9, 3-11
 virtual, 3-5, 3-9, 3-11
 .MFPS macro, 2-76
 MINUSX,
 see Display processor mnemonic
 MINUSY,
 see Display processor mnemonic
 Miscellaneous services
 programmed requests, 2-19
 MISVX,
 see Display processor mnemonic
 MISVY,
 see Display processor mnemonic
 MM handler, 1-30
 MMG\$T, 1-9
 MMHD handler, 1-30
 Mode, 3-3
 kernel, 3-2, 3-3, 3-12, 3-14,
 3-28, 3-35
 mapping, 1-16
 user, 3-2, 3-4, 3-12, 3-28,
 3-35
 Modifying appearance of text
 display, A-11
 Monitor commands,
 FRUN, 1-6, 4-6, C-61
 GET, 1-6
 GT OFF, 1-6, A-3
 GT ON, 1-6, A-3
 INSTALL, 1-2, 1-20, C-1
 LOAD, 1-6, 3-33
 R, 1-6, C-61
 REMOVE, C-2
 RUN, 1-6, C-61
 SQUEEZE, 2-17
 UNLOAD, 1-6, C-4
 Monitor display support, A-3
 Monitor error message, 2-18
 Monitor fixed offsets,
 obtaining, 2-66
 Monitor layout,
 extended memory, 3-12
 Monitor loading,
 extended memory, 3-12
 Monitor offsets, 2-12, 4-73
 Monitor release level, 2-14
 Monitor routines,
 \$GETBYT, 1-19
 \$MPPHY, 1-18
 \$PUTBYT, 1-18
 \$PUTWRD, 1-19
 \$RELOC, 1-19
 Monitor services for device
 handlers, 1-13
 Monitor services, 2-1
 Monitor software components,
 1-2
 Monitor version number, 2-14
 Monitor, 3-13
 extended memory, 1-1, 3-1, 3-2,
 3-5
 foreground/background, 1-1,
 3-1

INDEX (Cont.)

- Monitor (Cont.),
 - keyboard, 1-2, 3-3, 3-12
 - resident, 1-2, 2-7, 3-3, 3-12, C-1
 - single-job, 1-1
- Move a word to user buffer, 1-19
- Move byte from user buffer, 1-19
- Move byte to user buffer, 1-18
- Moving characters to terminals, 2-84
- \$MPPHY monitor routine, 1-18
- .MRKT programmed request, 2-78
- MRKT, 4-17, 4-18, 4-35, 4-93
- MT handler, 1-30
- .MTATCH programmed request, 2-80
- MTATCH, 4-94
- .MTDTCH programmed request, 2-81
- MTDTCH, 4-95
- .MTGET programmed request, 2-82
- MTGET, 4-95
- MTHD handler, 1-30
- .MTIN programmed request, 2-83
- MTIN, 4-95
- .MTOUT programmed request, 2-84
- MTOUT, 4-96
- .MTPRNT programmed request, 2-85
- MTPRNT, 4-96
- .MTPS macro, 2-76
- .MTRCTO programmed request, 2-86
- MTRCTO, 4-97
- .MTSET programmed request, 2-87
- MTSET, 4-97
- Multi-terminal programmed requests, 2-80
- Multi-terminal programming example, 4-98
- Multi-terminal routines, SYSF4, 4-94
- Multi-terminal support, 1-63
- Multi-user application, 3-5
- Multi-vector handlers, 1-10
- Multi-vector support, 1-16
- .MWAIT programmed request, 2-90
- MWAIT, 4-17, 4-99

- Name and file type, C-68
- Name register, A-8, A-16, A-17
- .NAME, A-10
- New files,
 - opening, 2-54
- NL handler, 1-62
- Non-processor request devices (NPR), 1-17, 1-24
- .NOSYN, A-13
- NPR,
 - see Non-processor request
- Null display file, A-6

- Null handler, 1-62
- Num, 2-28
- Number of devices on a system, C-1
- Number of files, C-71
- Number,
 - channel, C-69
 - monitor version, 2-14

- OBJ file format, C-52
- OBJ library file format, C-54
- Object file format, C-52
- Object library directory, C-57
- Object library file format, C-54
- Object library header format, C-55
- Object module, A-2
- Object time system,
 - see OTS
- Obtaining available memory, 2-113
- Obtaining channel status, 2-46, 4-38
- Obtaining characters from terminals, 2-83
- Obtaining device status information, 2-52, 4-41
- Obtaining free space, 4-45
- Obtaining input from the user, 2-64
- Obtaining job parameters, 2-63
- Obtaining mapping status, 3-25
- Obtaining memory addresses, 4-31
- Obtaining monitor fixed offsets, 2-66
- Obtaining terminal status, 2-82
- Obtaining the date, 2-47
- Obtaining time of day, 2-61
- Offset values, 3-11
- Offset words, 2-13
- Offset, 3-19
- Offsets,
 - monitor, 2-12
 - obtaining monitor, 2-66
 - window definition block, 3-20
- Opening existing files, 2-72
- Opening a new file, 2-54, 4-42
- Operating system,
 - RT-11, 3-1
- Option information,
 - passing, 2-43
- Option,
 - adding a SET, 1-12
 - linker, 3-8
- Options, 1-76
- ERRUTL, 1-72
- PSE, 1-74
- SET, 1-9

INDEX (Cont.)

- OTSS\$I, 4-6
- OTSS\$P, 4-6
- OTS,
 - FORTTRAN, 4-5
- Overlay handler, 3-1
- Overlay segments, 3-5
- Overlying, 3-1
- Overlays, 4-6, A-19
 - REL files with, C-63
 - REL files without, C-62
 - resident, 3-2
- \$OWNER table, C-5

- Padding strings with blanks, 4-108
- Page address register assignments, 3-5
- Page address register, 3-3, 3-7, 3-18, 3-19
- Page descriptor register, 3-3
- Page length, 3-3
- Page, 3-3, 3-5
 - I/O, 3-12, 3-13
- Paper tape format, C-57
- Paper tape handler, 1-59
- PAR,
 - see Page address register
- PAR1 relocation bias, C-9
- Parameter block, 3-15
- Parameter specification, A-11
- Parts of a handler, 1-8.1
- Passing commands to the keyboard monitor, 4-107
- Passing job parameters, 4-30
- Passing option information, 2-43
- Passing strings to subprograms, 4-22
- Patching a Version 2 handler, 1-21
- PC handler, 1-59, C-42
- PDR,
 - see Page descriptor register
- Performing special functions, 4-68
- Permanent entry, C-66
- Permanent file, 2-17
- Permanent name table, C-1
- Physical address, 3-4
 - converting mapped addresses to, 1-18
- Physical memory, 3-9, 3-11
- PIC,
 - see Position independent code
- PLAS,
 - see Program logical address space
- \$PNAME table offset, C-5
- \$PNAME table, C-1
- POINT,
 - see Display processor mnemonic
- Pointer, A-2, A-4
- Popping subpicture stack, A-16
- Position independent code (PIC), C-16
- Power line frequency, A-13
- Preamble, 1-8
- PRINT statement, 4-32
- PRINT, 4-99
- Printing lines on a terminal, 2-85, 4-96
- Priorities,
 - interrupt, 1-6
- Privileged job, 3-2, 3-6, 3-12, 3-27, 3-35
- Privileged mapping, 3-13, 3-14, 3-16
- Processor status word (PSW), 1-7, 2-76
- Program execution,
 - suspending, 2-90, 2-133
- Program interfaces to the EL handler, 1-81
- Program logical address space, 3-4
- Program status word, 3-3
- Program virtual address space, 3-4
- Program,
 - starting, C-61
- Programmed request arguments, 2-5, 2-28
- Programmed request format, 2-2.1
- Programmed requests for extended memory, 3-1, 3-2
- Programmed requests requiring the USR, 2-25
- Programmed requests, 1-2, 2-1, 2-129
 - .CDFN, 2-30, 3-33, C-12
 - .CHAIN, 2-31
 - .CHCOPY, 2-33
 - .CLOSE, 1-39, 1-47, 1-51, 2-35
 - .CMKT, 2-36
 - .CNTXSW, 2-37, 3-33
 - .CRAW, 3-11, 3-15, 3-18, 3-21, 3-25
 - .CRRG, 3-15, 3-18, 3-21, 3-24
 - .CSIGEN, 2-38
 - .CSISPC, 2-41
 - .CSTAT, 2-46
 - .DATE, 2-47
 - .DELETE, 1-38, 1-50, 2-49
 - .DEVICE, 2-50
 - .DSTATUS, 2-52, C-2
 - .ELAW, 3-15, 3-22

INDEX (Cont.)

Programmed requests (Cont.),

- .ELRG, 3-15, 3-25
- .ENTER, 1-33, 1-50, 2-54
- .EXIT, 2-56
- .FETCH, 2-58
- .GMCX, 3-15, 3-25
- .GTIM, 2-61
- .GTJB, 2-63
- .GTLIN, 2-64
- .GVAL, 2-13, 2-66
- .HERR, 2-67
- .HRESET, 2-70
- .LOCK, 2-71
- .LOOKUP, 1-35, 1-47, 1-50, 2-74
- .MAP, 3-15, 3-18, 3-21, 3-26
- .MRKT, 2-78
- .MTATCH, 2-80
- .MTDTCH, 2-81
- .MTGET, 2-82
- .MTIN, 2-83
- .MTOUT, 2-84
- .MTPRNT, 2-85
- .MTRCTO, 2-86
- .MTSET, 2-87
- .MWAIT, 2-90
- .PROTECT, 2-91
- .PURGE, 2-93
- .QSET, 2-94, 3-33
- .RCTRLO, 2-95
- .RCVD, 2-96
- .RCVDC, 2-97
- .RCVDW, 2-97
- .READ, 2-100, 3-14, 3-15
- .READC, 1-102, 3-15
- .READW, 2-103
- .RELEASE, 2-60, C-4
- .RENAME, 1-38, 2-104
- .REOPEN, 2-105
- .RSUM, 2-119
- .SAVESTATUS, 2-106
- .SCCA, 2-108
- .SDAT, 2-110
- .SDATC, 2-110
- .SDATW, 2-111
- .SERR, 2-18, 2-67
- .SETTOP, 2-12, 2-113, 3-33
- .SFPA, 2-115
- .SPFUN, 1-41, 1-52, 1-54, 2-116
- .SPND, 2-119
- .SRESET, 2-122
- .TLOCK, 2-24, 2-125
- .TRPSET, 2-126
- .TTINR, 2-127
- .TTYIN, 2-127
- .TTYOUT, 2-129
- .TWAIT, 2-132, C-9
- .UNLOCK, 2-72
- .UNMAP, 3-12, 3-15, 3-27

Programmed requests (Cont.),

- .UNPROTECT, 2-92
- .WAIT, 2-133
- .WRITC, 2-135, 3-15
- .WRITE, 2-134, 3-14, 3-15
- .WRITW, 2-137
- data transfer, 2-19
- extended memory, 3-15, 3-22
- file manipulation, 2-19
- issuing at interrupt level, 1-7
- mapping, 3-15, 3-25
- miscellaneous services, 2-19
- multi-terminal, 2-80
- region, 3-15
- registers and, 2-4
- summary of, 2-19
- USR and, 2-24
- Version 1 implementation, 2-1
- Version 2 implementation, 2-1
- Version 3 implementation, 2-2
- window, 3-15
- Programmed transfer devices, 1-17, 1-26
- Programmer, system, 3-2
- Programming conventions, I/O, 1-1
- Programming for specific devices, 1-30
- Programs,
 - RT-11 Version 1, 2-27
 - RT-11 Version 2, 2-27
 - terminating, 2-56
- .PROTECT programmed request, 1-6, 2-91
- Protecting vectors in SJ, C-7
- Protecting vectors, 2-91, C-6
- PSE options, 1-74
- PSE, 1-67, 1-70
 - using, 1-73
- PSECTS, 4-5
- PSW,
 - see Processor status word
- .PURGE programmed request, 2-93
- PURGE, 4-44, 4-92, 4-100
- \$PUTBYT monitor routine, 1-18
- PUTSTR, 4-4, 4-17, 4-21, 4-100
- \$PUTWRD monitor routine, 1-19
- PVAS,
 - see Program virtual address space
- Q.BLKN, 1-18, C-8, C-11
- Q.BUFF, 1-18, C-8, C-11
- Q.COMP, 1-18, C-9, C-11
- Q.CSW, 1-18, C-8, C-11

INDEX (Cont.)

- Q.FUNC, 1-18, C-8, C-11
- Q.JNUM, 1-18, C-8
- Q.LINK, 1-18, C-8, C-11
- Q.PAR, 1-18, C-9
- Q.UNIT, 1-18, C-8
- Q.WCNT, 1-18, C-9, C-11
- .QELDF macro, 1-9, 1-17, C-8
- .QSET programmed request, 2-94, 3-33
- Queue elements, 1-17, 3-33, 4-52, 4-94, C-7
 - adding, 2-94
 - completion, C-10
 - fork, 1-13, C-12
 - I/O, C-7
 - synch, C-11
 - SYSF4 routines requiring, 4-17
 - timer, C-9
- Queued I/O, C-7
- Quoted-string literals, 4-22

- R monitor command, 1-6, C-61
- R.GID, 3-23
- R.GLGH, 3-23
- R.GSIZ, 3-23, 3-30
- R50ASC, 4-101
- RAD50, 4-102
 - see also IRAD50
- RADIX-50 characters, 4-53
- RCHAIN, 4-102
- .RCTRLO programmed request, 2-95
- RCTRLO, 4-103
- .RCVD programmed request, 2-96
- .RCVDC programmed request, 2-97
- .RCVDW programmed request, 2-98
- .RDBBK macro, 3-23
- .RDBDF macro, 3-23
- .READ programmed request, 2-100, 3-14, 3-15
- READ statement, 4-32
- .READC programmed request, 2-102, 3-15
- Reading and writing physical blocks to magtape, 1-42
- Reading characters from a terminal, 4-95
- Reading data from cassette, 1-51
- Reading data from magnetic tape, 1-36
- Reading data, 2-100, 4-56
- Reading magnetic tape, 1-47
- Reading strings, 4-28
- .READW programmed request, 2-103
- REAL functions, 4-4
- REAL*4, 4-23, 4-31, 4-84
- REAL*8, 4-28, 4-40, 4-85
- Receiving data, 2-96, 4-53

- REENTER, 4-108
- Refresh time, A-13
- Region 0, 3-12
- Region control block, 3-24
- Region definition block, 3-9, 3-14, 3-15, 3-21, 3-22, 3-23
 - creating, 3-34
- Region identifier code, 3-18
- Region identifier, 3-9, 3-19, 3-26
- Region programmed requests, 3-15
- Region status word, 3-23, 3-28
- Region, 3-4
 - base, 3-8
 - creating a, 3-35
 - dynamic, 3-2, 3-8, 3-26
 - relationship with window, 3-7
 - static, 3-4, 3-6, 3-8, 3-25, 3-26
- Regions,
 - allocating in extended memory, 3-8
 - deallocating in extended memory, 3-8
- Register,
 - page address, 3-3, 3-7, 3-19
 - page descriptor, 3-3
 - relocation, 3-5
- Registers and programmed requests, 2-4
- Registers, 3-9
 - loading device, 2-50
 - mapping, 3-14
 - page address, 3-18
- REL file format, C-61
- REL files with overlays, C-63
- REL files without overlays, C-62
- Relationship of windows and regions, 3-7
- Relationship,
 - mapping, 3-11
- RELATV,
 - see Display processor mnemonic
- .RELEAS programmed request, 2-60
- Release level,
 - monitor, 2-14
- .RELEASE programmed request, C-4
- \$RELOC monitor routine, 1-19
- Relocatable file format, C-61
- Relocation constant, 3-3
- Relocation information, C-62
- Relocation registers, 3-3, 3-5
- .REMOV, A-10
- REMOVE monitor command, C-2
- Removing by-pass of call to user file, A-10

INDEX (Cont.)

- Removing call to user display file, A-10
- Removing device handlers, 1-20
- Removing trailing blanks from strings, 4-114
- .RENAME programmed request, 1-38, 2-104
- Renaming files, 2-104, 4-60
- .REOPEN programmed request, 2-105
- Reopening files, 2-105, 4-61
- REPEAT, 4-103
- Replacement,
 - bad block, 1-60, 1-62
- Replacing strings with strings, 4-47
- Report generator, 1-71
- Requirements for system device handlers, C-38
- Requirements,
 - extended memory, 3-34
- Resetting CTRL/O, 2-86, 2-95, 4-97, 4-103
- Resetting pointers, A-4
- Resident device handlers, C-5
- Resident monitor (RMON), 1-2, 2-7, 3-3, 3-12, C-1
- Resident monitor address, 2-11
- Resident overlays, 3-2
- Restoring user display file, A-10
- .RESTR, A-10
- Restrictions,
 - completion routines, 4-18
 - extended memory, 3-33
 - SYSF4, 4-2
- RESUME, 4-104, 4-110
- Resuming mainstream execution, 2-119
- Resuming the main program, 4-104
- Return address, A-15
- Return from interrupt service, 1-7
- Rewinding magtape and going off line, 1-45
- Rewinding magtape, 1-45
- RK05 handler, C-15
- RK06/07 disk handler, 1-60
- RK06/07 disk special functions, 1-61
- RL01 disk handler, 1-62
- RL01 disk special functions, 1-62
- \$RLPTR pointer, 1-19
- RMON,
 - see Resident monitor
- Roll-over,
 - date, 2-48
- RONLY\$, C-3, C-6
- Root segment, 3-1
- Routines,
 - completion, 4-17
- RS.CRR, 3-23, 3-30
- RS.NAL, 3-23, 3-30
- RS.UNM, 3-23, 3-30
- RSTS/E,
 - writing tapes on, 1-48
- .RSUM programmed request, 2-119
- RSX-11D,
 - writing tapes on, 1-48
- RSX-11M,
 - writing tapes on, 1-48
- RT-11 architecture, 3-4
- RT-11 operating system, 3-1
- RT-11 system concepts, 2-4
- RT-11 Version 1 programs, 2-27
- RT-11 Version 2 programs, 2-27
- RTI instruction, 1-7, 2-70, 3-28
- RTS instruction, 1-7, 2-18, 4-4
- RUBOUT,
 - see DELETE
- RUN monitor command, 1-6, C-61
- Running a FORTRAN program in the foreground, 4-6
- SAV file format, C-59
- Save image file format, C-59
- .SAVSTATUS programmed request, 2-106
- Saving channel status, 4-62
- Saving file status, 2-106
- .SCCA programmed request, 2-108
- SCCA, 4-104
- Scheduling a mark time, 1-20
- Scheduling completion routines, 2-78, 4-63, 4-74
- SCOMP, 4-105
- SCOPY, 4-106
- .SCROL, A-11
 - example of, A-11
- Scroll text buffer, A-6, A-14
- Scroller control characters, A-3
- Scroller logic, A-3
- Scroller, A-11
- Scrolling, A-3
- .SDAT programmed request, 2-110
- .SDATC programmed request, 2-110
- .SDATW programmed requests, 2-111
- Searching strings for characters, 4-115
- Searching strings for strings, 4-47
- SECNDS, 4-4, 4-107
- Section,
 - I/O initiation, 1-10

INDEX (Cont.)

- Segment,
 - base, 3-4
 - root, 3-1
- Segments,
 - directory, C-64
 - memory, 3-2
 - overlay, 3-5
- Sending data, 2-110, 4-65
- Seqnum, 2-28
- .SERR programmed request, 2-18, 2-67
- Services,
 - SYSF4, 4-8
- SET commands, 1-47
- SET option,
 - adding, 1-12
- SET options, 1-9
- SETCMD, 4-107
- Setting a program's upper limit, 2-113
- Setting terminal and line characteristics, 4-97
- Setting terminal characteristics, 2-87
- Setting trap addresses, 2-115
- Setting up interrupt vectors, 1-6
- Setting up the display interrupt vectors, A-6
- .SETTOP programmed request, 2-12, 2-113, 3-33
- .SFPA programmed request, 2-115
- Shift out, A-9
- SHIFTX,
 - see Display processor mnemonic
- SHORTV,
 - see Display processor mnemonic
- Single-job monitor (SJ), 1-1
 - see also SJ monitor
- Single-vector handlers, 1-9
- Size of files, C-71
- Size,
 - USR, 2-16
 - window definition block, 3-20
 - window, 3-19
- SJ monitor FORK support, 1-15
- SJ monitor, A-3
- SJ monitor,
 - protecting vectors in, C-7
 - see also Single-job monitor
- Skeleton outline,
 - device handler, 1-26
- \$\$LOT, C-1
- Soft error codes, 2-68
- Soft exit, A-3
- Software components,
 - monitor, 1-2
- Software mode,
 - cassette, 1-49
- Software name register, A-8
- Software reset, 2-122
- Software support information, C-1
- Source edit conversion of handlers, 1-22
- Space,
 - address, 3-2
 - kernel vector, 3-12
 - logical address, 3-6
 - program logical address, 3-4
 - program virtual address, 3-4
 - virtual address, 3-5, 3-6, 3-7
 - work, 3-7
- Spacing forward and backward on magtape, 1-44
- Spare, A-9
- Special function codes, 2-117, 4-69
- Special functions, 2-116
 - cassette, 1-52
 - diskette, 1-54
 - FORTRAN, 4-69
 - RK06/07 disk, 1-61
 - RL01 disk, 1-62
- Special mode, 2-41
- SPECL\$, C-3, C-6
- .SPFUN programmed request, 1-41, 1-52, 1-54, 2-116
- SPFUN\$, C-3, C-6
- .SPND programmed request, 2-119
- SQUEEZE monitor command, 2-17
- .SRESET programmed request, 2-122
- Stack depth, A-15
- Stack size, A-7
- Stacking contents of name register, A-10
- START, 4-108
 - .START, A-12
- Starting a program, C-61
- Starting address, C-54
- Starting the display processor, A-2, A-12
- \$\$STAT table, C-1
 - .STAT, A-12
- Statement,
 - CALL, 4-20
 - DATA, 4-19
- Static region, 3-4, 3-6, 3-8, 3-25, 3-26
- Static window, 3-6, 3-7
- Statistics report,
 - device, 1-79
- STATSA,
 - see Display processor mnemonic
- STATSB,
 - see Display processor mnemonic
- Status bits,
 - window, 3-19

INDEX (Cont.)

- Status buffer, A-12
 - light pen, A-12
- Status data transfer, A-16
- Status word, 3-28
 - asynchronous terminal, 1-65
 - channel, 2-46, C-13
 - device, C-2, C-3, C-6
 - directory, C-68
 - extended memory, 3-30
 - processor, 1-7, 2-76
 - region, 3-23
 - window, 3-18, 3-19, 3-20, 3-26, 3-28
- Status,
 - error, 2-10
 - extended memory, 3-27
 - obtaining terminal, 2-82
 - saving file, 2-106
- Stop flag, A-9
- .STOP, A-12
- Stopping I/O transfers, 2-70
- Stopping the display processor, A-2, A-12
- Storage,
 - file, C-64
- Storing integers in memory
 - locations, 4-51
- String variables,
 - character, 4-21
- Strings,
 - ASCIZ, 4-20
 - concatenating, 4-103
 - DECODE, 4-20
 - ENCODE, 4-20
 - FORMAT, 4-20
 - passing to subprograms, 4-22
- STRPAD, 4-108
- Structure,
 - cassette, C-75
 - file, 2-16
 - magtape, C-74
- Structures,
 - data, 3-15
- Subpicture, A-23
- Subpicture call, A-10
- Subpicture flag, A-8
- Subpicture stack, A-6
- Subpicture structure,
 - example, A-23
- Subpicture tag, A-15, A-16
- Subprograms,
 - calling SYSF4, 4-3
 - function, 4-3
 - passing strings to, 4-22
 - subroutine, 4-3
- Subroutine call instruction (DJSR), A-15
- Subroutine call, A-2, A-4, A-20
- Subroutine library,
 - system, 4-1
- Subroutine return address, A-16
- Subroutine return instruction (DRET), A-16
- Subroutine return instruction, A-22
- Subroutine structure, A-22
- Subroutine subprograms, 4-3
- Subroutines,
 - FORTRAN, 4-1
- SUBSTR, 4-109
- Summary of programmed requests, 2-19
- Summary report,
 - error, 1-80
- Summary,
 - extended memory support, 3-33
 - SYSF4 subprogram, 4-8
- Suspending main program
 - execution, 4-67, 4-110
- Suspending mainstream execution, 2-119
- Suspending program execution, 2-90, 2-133
- SUSPND, 4-110
- Swap bit,
 - USR, 2-8
- Swapping, 2-12, 2-114
- Switching,
 - context,
 - in extended memory, 3-14
- SYCND.MAC, C-38
- SYE options, 1-76
- SYE, 1-67, 1-71
 - using, 1-76
- .SYNC, A-13
- SYNC,
 - see Display processor mnemonic
- .SYNCH macro, 1-7, 1-15, 2-123
- SYNCH queue element, C-11
- SYS\$I, 4-6
- SYSCOM,
 - see System communication area
- SYSDEV.MAC, C-38
- SYSF4 conventions, 4-2
- SYSF4 functions, 4-1, 4-23
- SYSF4 multi-terminal routines, 4-94
- SYSF4 restrictions, 4-2
- SYSF4 routines requiring queue elements, 4-17
- SYSF4 routines requiring the USR, 4-17
- SYSF4 routines, 4-35, 4-84, 4-88, 4-96, 4-102
 - AJFLT, 4-23
 - CHAIN, 4-23
 - CLOSEC, 4-24
 - CONCAT, 4-25
 - CVTTIM, 4-26
 - DEVICE, 4-27

INDEX (Cont.)

SYSF4 routines (Cont.),

DJFLT, 4-28
 GETSTR, 4-28
 GTIM, 4-29
 GTJB, 4-30
 GTLIN, 4-30
 IADDR, 4-31
 IAJFLT, 4-31
 IASIGN, 4-32
 ICDFN, 4-34
 ICMKT, 4-35
 ICSI, 4-36
 ICSTAT, 4-38
 IDELET, 4-39
 IDJFLT, 4-40
 IDSTAT, 4-41
 IENTER, 4-42
 IFETCH, 4-43
 IFREEC, 4-44
 IGETC, 4-45
 IGETSP, 4-45
 IJCVT, 4-46
 ILUN, 4-46
 INDEX, 4-47
 INSERT, 4-47
 INTSET, 4-48
 IPEEK, 4-50
 IPEEKB, 4-50
 IPOKE, 4-51
 IPOKEB, 4-51
 IQSET, 4-52
 IRAD50, 4-53
 IRCVD, 4-53
 IRCVDC, 4-54
 IRCVDF, 4-54
 IRCVDW, 4-55
 IREAD, 4-56
 IREADC, 4-57
 IREADF, 4-58
 IREADW, 4-60
 IRENAM, 4-60
 IREOPN, 4-61
 ISAVES, 4-62
 ISCHED, 4-63
 ISDAT, 4-65
 ISDATC, 4-65
 ISDATF, 4-66
 ISDATW, 4-67
 ISLEEP, 4-67
 ISPFN, 4-68
 ISPFNC, 4-70
 ISPFNF, 4-71
 ISPFNW, 4-72
 ISPY, 4-73
 ITIMER, 4-74
 ITLOCK, 4-75
 ITTINR, 4-76
 ITTOUR, 4-78
 ITWAIT, 4-78
 IUNTIL, 4-79

SYSF4 routines (Cont.),

IWAIT, 4-80
 IWITC, 4-80
 IWRITE, 4-81
 IWITF, 4-82
 IWITW, 4-83
 JADD, 4-83
 JDFIX, 4-85
 JDIV, 4-85
 JFIX, 4-84
 JICVT, 4-86
 JJCVT, 4-87
 JMOV, 4-87
 JMUL, 4-88
 JTIME, 4-89
 LEN, 4-90
 LOCK, 4-90
 LOOKUP, 4-92
 MRKT, 4-93
 MTATCH, 4-94
 MTDTC, 4-95
 MTGET, 4-95
 MTIN, 4-95
 MTPRNT, 4-96
 MTRCTO, 4-97
 MTSET, 4-97
 MWAIT, 4-99
 PRINT, 4-99
 PURGE, 4-100
 PUTSTR, 4-100
 R50ASC, 4-101
 RCHAIN, 4-102
 RCTRLO, 4-103
 REPEAT, 4-103
 RESUME, 4-104
 SCCA, 4-104
 SCOMP, 4-105
 SCOPY, 4-106
 SECNDS, 4-107
 SETCMD, 4-107
 STRPAD, 4-108
 SUBSTR, 4-109
 SUSPND, 4-110
 TIMASC, 4-111
 TIME, 4-112
 TRANSL, 4-112
 TRIM, 4-114
 UNLOCK, 4-114
 VERIFY, 4-115

SYSF4 services, 4-8

SYSF4 subprogram summary, 4-8

SYSF4 subprograms,
calling, 4-3

SYSF4, 4-1

linking with, 4-7

see also SYSLIB, System
subroutine library

using with MACRO, 4-3

SYSGEN options word, 2-16

INDEX (Cont.)

- SYSLIB, 4-1
 - creating, 4-7
 - see also SYSF4
 - see also System subroutine library
- SYSMAC.MAC, 2-1
- SYSMAC.SML, B-1
- SYSTBL, C-1, C-3, C-6
- System communication area (SYSCOM), 2-6, 2-7, 3-12, 3-33
- System concepts,
 - RT-11, 2-4
- System device handler, C-38
- System device handlers,
 - requirements, C-38
- System errors,
 - intercepting, 2-67
- System macro library, 2-1, B-1
 - using, 2-18
- System macros, 2-26
 - .CTIMIO, 1-20
 - .DRAST, 1-8, 1-10
 - .DRBEG, 1-8, 1-9, 1-17
 - .DREND, 1-8, 1-18, 1-19
 - .DRFIN, 1-8, 1-11
 - .FORK, 1-13, 2-60
 - .INTEN, 1-6, 1-13, 2-70
 - .MFPS, 2-76
 - .MTPS, 2-76
 - .PROTECT, 1-6
 - .QELDF, 1-9, 1-17
 - .RDBBK, 3-23
 - .RDBDF, 3-23
 - .SYNCH, 1-7, 1-15, 2-123
 - .TIMIO, 1-20
 - ..V1.., 2-27
 - ..V2.., 2-27
 - .WDBBK, 3-17, 3-19
 - .WDBDF, 3-19
- System programmer, 3-2
- System subroutine library, 4-1
 - see also SYSF4
 - see also SYSLIB
- System timer elements, C-10
- System,
 - mapped, 3-2
 - unmapped, 3-2
- Systems program development,
 - A-20
- Table,
 - \$DVREC, C-4
 - \$ENTRY, C-4
 - \$OWNER, C-5
 - \$PNAME, C-1
 - \$STAT, C-2
- Table (Cont.),
 - \$UNAM1, C-5
 - \$UNAM2, C-5
 - device handler block number, C-4
 - device handler entry point, C-4
 - device ownership, C-5
 - device status, C-2
 - permanent name, C-1
- Tables,
 - adding a device to, C-5
 - device name, C-5
- Tag, A-23
- Tagged subpicture file structure,
 - A-20
- Tape marks,
 - writing, 1-46
- Tentative entry, C-65
- Tentative file, 2-17
- Terminal characteristics,
 - setting, 2-87
- Terminal configuration word,
 - 2-87
- Terminal handler, 1-59
- Terminal status word,
 - asynchronous, 1-65
- Terminal status,
 - obtaining, 2-82
- Terminal,
 - transferring characters from the console, 2-127
 - transferring characters to the console, 2-129
- Terminals,
 - attaching, 2-80
 - detaching, 2-81
 - moving characters to, 2-84
 - obtaining characters from, 2-83
 - printing lines on, 2-85
- Terminating programs, 2-56
- Termination, device handler,
 - 1-11
- Terminology,
 - extended memory, 3-2
- Text buffer, A-3
 - scroll, A-6
- TIM\$IT, 1-9
- TIMASC, 4-111
- Time of day,
 - obtaining, 2-61
- TIME, 4-112
- Time,
 - mark, 1-19
- Time-out support,
 - device, 1-19
- Timed wait, 2-90, 2-132

INDEX (Cont.)

Timer elements,
 system, C-10
 Timer queue element, C-9
 .TIMIO macro, 1-20
 .TLOCK programmed request, 2-24,
 2-125
 .TRACK, A-13
 Tracking object, A-2
 Trailer,
 library, C-57
 Transfer address, C-54
 Transferring address of light
 pen status data buffer, A-7
 Transferring address of status
 buffer, A-12
 Transferring characters from
 the console terminal, 2-127
 Transferring characters to the
 console terminal, 2-129
 TRANSL, 4-112
 Translating strings, 4-112
 Trap addresses,
 setting, 2-115
 Trap vector, 2-6
 Traps to 4 and 10,
 intercepting, 2-126
 TRIM, 4-114
 .TRPSET programmed request,
 2-126
 TT handler, 1-59, C-2
 .TTINR programmed request, 2-127
 .TTOUTR programmed request,
 2-129
 .TTYIN programmed request, 2-127
 .TTYOUT programmed request, 2-129
 .TWAIT programmed request, 2-132,
 C-9
 TYPE statement, 4-32

 \$UNAM1 table, C-5
 \$UNAM2 table, C-5
 Unit, 2-29
 .UNLNK, A-14
 UNLOAD monitor command, 1-6, C-4
 Unloading device handlers, 2-60
 .UNLOCK programmed request, 2-72
 UNLOCK, 4-114
 Unlocking the USR, 2-72, 4-114
 Unmap an address window, 3-15
 .UNMAP programmed request, 3-12,
 3-15, 3-27
 Unmapped system, 3-2
 Unmapping a window, 3-27, 3-35
 Unmapping, 3-22
 .UNPROTECT programmed request,
 2-92
 Unprotecting vectors, 2-92

 Unused entry, 2-17
 User buffer,
 moving a word to, 1-19
 moving byte from, 1-19
 moving byte to, 1-18
 User display file, A-12
 User error code, 2-10
 User interrupt service routines
 and the XM monitor, 1-7
 User interrupt service routines,
 writing, 1-6
 User mode, 3-2, 3-4, 3-12, 3-28,
 3-35
 User Service Routines (USR), 1-2,
 3-3, 3-12
 User status buffer, A-16
 USER\$D, 4-6
 USER\$I, 4-6
 Using display file handler, A-18
 Using error logging, 1-71
 Using ERRUTL, 1-71
 Using power line synchronization
 feature, A-13
 Using PSE, 1-73
 Using SYE, 1-76
 Using SYSF4 with MACRO, 4-3
 Using the system macro library,
 2-18
 USR and programmed requests, 2-24
 USR load address, 2-9
 USR ownership, 4-75, 4-90
 USR size, 2-16
 USR swap bit, 2-8
 USR swapping, 2-12, 2-18, 4-5,
 4-38
 USR,
 locking the, 2-71, 2-125
 programmed requests requiring
 the, 2-25
 see also User service routines
 SYSF4 routines requiring the,
 4-17
 unlocking the, 2-72

 ..V1.. macro, 2-27
 ..V2.. macro, 2-27
 Values,
 offset, 3-11
 Variables,
 character string, 4-21
 Vector addresses, 2-6
 Vector generator, A-1
 Vector space,
 kernel, 3-12
 Vector,
 EMT trap, 2-6
 interrupt, 3-28

INDEX (Cont.)

- Vector (Cont.),
 - trap, 2-6
 - virtual, 3-12
- Vectors, 3-13
 - multiple, 1-16
 - protecting, 2-91, C-6
 - setting up interrupt, 1-6
 - unprotecting, 2-92
- VERIFY, 4-115
- Version 1 macro calls,
 - converting to Version 3, 2-142
- Version 1 programmed request
 - implementation, 2-1
- Version 1 programs,
 - RT-11, 2-27
- Version 2 device handlers, 1-8
- Version 2 handler,
 - patching, 1-21
- Version 2 programmed request
 - implementation, 2-1
- Version 2 programs,
 - RT-11, 2-27
- Version 3 device handlers, 1-8
- Version 3 format,
 - converting device handlers to, 1-21
- Version 3 programmed request
 - implementation, 2-2
- Version number,
 - monitor, 2-14
- Virtual address boundary, 3-8, 3-18
- Virtual address space, 3-5, 3-6, 3-7
 - program, 3-4
- Virtual address, 3-4, 3-12
- Virtual addressing, 3-1
- Virtual background job, 3-13
- Virtual disk arrays, 3-1
- Virtual foreground job, 3-13
- Virtual image bit, 2-8
- Virtual job, 3-2, 3-27, 3-33, 3-35
- Virtual mapping, 3-12
- Virtual memory, 3-5, 3-9, 3-11
- Virtual vector, 3-12
- Virtual window, 3-4
- VOLL, C-75
- VT11 graphic display hardware, A-1
- VTBASE, A-12
 - see also Base segment, Display file handler
- VTCAL1,
 - see Display file handler
- VTCAL2,
 - see Display file handler
- VTCAL3,
 - see Display file handler
- VTCAL4,
 - see Display file handler
- VTLIB,
 - see Graphics library
- VTLIB.OBJ,
 - see Display file handler
- VTMAC,
 - see Macro definition
- VTMAC.MAC,
 - see Macro definition file
- W.NAPR, 3-17, 3-20, 3-25
- W.NBAS, 3-18, 3-20, 3-25
- W.NID, 3-17, 3-20
- W.NLEN, 3-18, 3-20, 3-26
- W.NLGH, 3-20
- W.NOFF, 3-18, 3-20, 3-26
- W.NRID, 3-18, 3-20
- W.NSIZ, 3-18, 3-20, 3-25
- W.NSTS, 3-18, 3-20, 3-26, 3-30
- W.RID, 3-26
- .WAIT programmed request, 2-133
- Wait,
 - timed, 2-132
- Wcnt, 2-29
- .WDBBK macro, 3-17, 3-19
- .WDBDF macro, 3-19
- Window alignment error, 3-21
- Window control block, 3-5, 3-21
- Window creation example, 3-6, 3-20
- Window definition block offsets, 3-20
- Window definition block size, 3-20
- Window definition block, 3-5, 3-6, 3-12, 3-14, 3-15, 3-17, 3-25, 3-26
 - creating a, 3-35
- Window identification, 3-17
- Window identifier code, 3-17
- Window identifier, 3-22
- Window programmed requests, 3-15
- Window size, 3-19
- Window status bits, 3-19
- Window status word, 3-18, 3-19, 3-20, 3-26, 3-28
- Window, 3-4, 3-5
 - address, 3-4
 - creating a, 3-35
 - creating an address, 3-21
 - mapping a, 3-26, 3-35
 - relationship with region, 3-7
 - static, 3-6, 3-7
 - unmapping, 3-35
 - virtual, 3-4

INDEX (Cont.)

- Windows,
 - creating, 3-5
 - defining, 3-8
 - manipulating, 3-17
 - mapping to regions, 3-9
- Wnapr, 3-19
- Wnlen, 3-19
- Wnoff, 3-19
- Wnrid, 3-19
- Wnsiz, 3-19
- Wnsts, 3-19
- WONLY\$, C-3, C-6
- Word,
 - Channel status (CSW), 2-46
 - configuration, 2-14
 - moving to user buffer, 1-19
 - processor status, 1-7, 2-76
 - region status, 3-23, 3-28
 - SYSGEN options, 2-16
 - terminal configuration, 2-87
 - window status, 3-18, 3-19, 3-20, 3-26, 3-28
- Words,
 - offset, 2-13
- Work space, 3-7
- .WRITC programmed request, 2-135, 3-15
- .WRITE programmed request, 2-134, 3-14, 3-15
- WRITE statement, 4-32
- Writing a device handler, C-15, C-42
- Writing characters to a terminal, 4-96
- Writing data to cassette, 1-51
- Writing data to magnetic tape, 1-37
- Writing data, 2-134
- Writing tape marks, 1-46
- Writing tape with extended gap, 1-46
- Writing tapes on IAS, 1-48
- Writing tapes on RSTS/E, 1-48
- Writing tapes on RSX-11D, 1-48
- Writing tapes on RSX-11M, 1-48
- Writing the error buffer on line, 1-81
- Writing to magnetic tape, 1-47
- Writing user interrupt service routines, 1-6
- .WRITW programmed request, 2-137
- WS.CRW, 3-19, 3-20, 3-30
- WS.ELW, 3-19, 3-20, 3-30
- WS.MAP, 3-19, 3-20, 3-21, 3-30
- WS.UNM, 3-19, 3-20, 3-30
- X position, A-9
- X status register, A-8
- XM monitor,
 - user interrupt service routines and, 1-7
- XM,
 - see Extended memory monitor
- Y position, A-9
- Y status register, A-8

READER'S COMMENTS

NOTE: This form is for document comments only. DIGITAL will use comments submitted on this form at the company's discretion. If you require a written reply and are eligible to receive one under Software Performance Report (SPR) service, submit your comments on an SPR form.

Did you find this manual understandable, usable, and well-organized?
Please make suggestions for improvement.

Did you find errors in this manual? If so, specify the error and the page number.

Please indicate the type of reader that you most nearly represent.

- Assembly language programmer
- Higher-level language programmer
- Occasional programmer (experienced)
- User with little programming experience
- Student programmer
- Other (please specify) _____

Name _____ Date _____

Organization _____

Street _____

City _____ State _____ Zip Code _____

or
Country

Please cut along this line.

-----**Fold Here**-----

-----**Do Not Tear - Fold Here and Staple**-----


**FIRST CLASS
PERMIT NO. 33
MAYNARD, MASS.**

**BUSINESS REPLY MAIL
NO POSTAGE STAMP NECESSARY IF MAILED IN THE UNITED STATES**

Postage will be paid by:

digital

Software Documentation
146 Main Street ML5-5/E39
Maynard, Massachusetts 01754



digital

digital equipment corporation